

Material

Two side acrylic coated clear BOPP.

Basis Weight	83 g/m ²	ISO 536
Caliper	92 µm	ISO 534
Gloss 45°	90 %	ASTM D 2457
Haze 2.5°	2 %	ASTM D 1003
Tensile strength MD	170 MN/m ²	ASTM D 882
Tensile strength CD	160 MN/m ²	ASTM D 882
Elongation ASTM MD	105 %	ASTM D 882
Elongation ASTM CD	120 %	ASTM D 882

Applications and use

Labels for cosmetics and toiletries, household chemicals, appliances, toys. Promotional labels and stickers for in- and outdoor use.

Conversion & printing


This product has a top coating which gives outstanding printing performance across a wide variety of printing processes including flexography, letterpress, offset, silkscreen, gravure and hot or cold foiling processes. It is highly compatible with UV, water-based and solvent-based inks. However, exact ink and foil systems should be recommended by your ink supplier.

Shelf life

One year under storage conditions as defined by FINAT (20-25°C; 40-50%RH)

AD684

Fasson® PP TOP CLEAR 2S-90



PP TOP CLEAR 2S-90



This is an automatically generated datasheet. All data to be considered as typical values and subject to change without prior notice. Further testing is always recommended.

If you would like to make a suggestion or comment on this datasheet, please send an email to datasheet.mgmt@eu.averydennison.com

Avery Dennison Materials Group Europe

Willem Einthovenstraat 11
2342 BH Oegstgeest
The Netherlands
+31 (0)85 000 2000

Warranty

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>



©2016 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.