

Material

A clear polyester-faced laminated pouching material used in packaging of snack foods.

Adhesive coated two layer laminate.

(PET 12μ /PE 60μ).

| | | |
|--|--|----------------------------------|
| Basis Weight | 77 g/m ² | ISO 536 |
| Caliper | 72 μm | ISO 534 |
| Elongation at break MD | >80 % | DIN 53455 |
| Elongation at break CD | >50 % | DIN 53455 |
| Tensile Stren. MD | >50 N/mm ² | ISO 527-3 |
| Tensile Stren. CD | >40 N/mm ² | ISO 527-3 |
| Oxygen Permeability (23°C; 50%RH) | 106 cm ³ /m ² /24 hr | ASTM D3985 |
| Water Vapor Transmission Rate (38°C, 90% RH) | 14 g/m ² /24 hr | ASTM F1249 |
| Sealing Strength | 45 N/15mm | DIN 52 529 @140°C/5bar/0.5sec |
| Coefficient of Friction Inside/Inside | 0,28-0,37 μs | ASTM D1895 |
| Coefficient of Friction Outside/Outside | 0,38-0,44 μs | ASTM D1895 |

Applications and use

Heatsealable Flexible packaging laminates for for general-purpose snack good applications. Clear package for product visibility.

Conversion & printing

The clear chemically treated PET face provides printability via Flexo.


Shelf life

One year under storage conditions as defined by FINAT (20-25°C; 40-50%RH)

AS511

Fasson ®

SNACK WEB 72 ECO CLEAR



SNACK WEB 72 ECO CLEAR

This is an automatically generated datasheet. All data to be considered as typical values and subject to change without prior notice. Further testing is always recommended.

If you would like to make a suggestion or comment on this datasheet, please send an email to datasheet.mgmt@eu.averydennison.com

Avery Dennison Materials Group Europe

Willem Einthovenstraat 11
2342 BH Oegstgeest
The Netherlands
+31 (0)85 000 2000

Warranty

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>



©2016 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.