

### Facestock

A matt white polyethylene film with a smooth, absorbent, ink receptive topcoating.

Basis Weight	90 g/m <sup>2</sup>	ISO 536
Caliper	110 µm	ISO 534

### Adhesive

C2020P is a permanent, acrylic based adhesive.

### Liner

BG40 white, a supercalendered glassine paper.

Basis Weight	61 g/m <sup>2</sup>	ISO 536
Caliper	54 µm	ISO 534

### Laminate

Total Caliper	184 µm±10%	ISO 534
---------------	------------	---------

### Performance data

Initial Tack	17 N/25mm	FTM 9 Glass
Peel Adhesion 90°	7 N/25mm	FTM 2 St.St.
Min. Application Temp.	-20 °C	
Service temperature	-50°C to 80°C	

### Adhesive Performance

The adhesive is characterized by a high initial tack, excellent adhesion and performance at low temperatures on a wide variety of substrates (including apolar surfaces), especially when utilized in below 0° C temperatures applications. The adhesive complies with the European food directives and legislations and the German recommendations XIV as published by BfR. BfR (Bundesinstitut für Risikobewertung) is the German Federal Institute for Risk Assessment. The adhesive can be used for indirect contact with foodstuffs and is ISO 3826 approval pending.

### Applications and use

Applications include medium life durable tracking labels in outdoor environments eg chemical drum labels, stretch and shrink wrapped pallet labels where recycling may be required.


### Shelf life

Two years under storage conditions as defined by FINAT (20-25°C; 40-50%RH)

## AO525

### Fasson®

#### TRANSFER PE HD - C2020P-BG40WH



TRANSFER PE HD

C2020P

BG40WH

*This is an automatically generated datasheet. All data to be considered as typical values and subject to change without prior notice. Further testing is always recommended.*

*If you would like to make a suggestion or comment on this datasheet, please send an email to [datasheet.mgmt@eu.averydennison.com](mailto:datasheet.mgmt@eu.averydennison.com)*

### Avery Dennison Materials Group Europe

Willem Einthovenstraat 11  
2342 BH Oegstgeest  
The Netherlands  
+31 (0)85 000 2000

#### Warranty

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see <http://terms.europe.averydennison.com>



©2016 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.



Inspired Brands.  
Intelligent World.™