

### Facestock

A matt silver polyester film with backside metallization.

Basis Weight	80 g/m <sup>2</sup>	ISO 536
Caliper	60 µm	ISO 534

### Adhesive

S8035 is a high tack acrylic adhesive suitable for low surface energy and rough substrates.

### Liner

BG45Wh BSS: on both sides siliconized glassine paper, wood-free, super calandered and extremely tough and tear-resistant.

Basis Weight	72 g/m <sup>2</sup>	ISO 536
Caliper	63 µm	ISO 534
Transparency	45 %	DIN 53147

### Laminate

Total Caliper	160 µm±10%	ISO 534
---------------	------------	---------

### Performance data

Initial Tack	27 N/25mm	FTM 9 Glass
Peel Adhesion 90°	18 N/25mm	FTM 2 St.St.
Min. Application Temp.	5 °C	
Service temperature	-40°C to 150°C	

### Adhesive Performance

S8035 is designed for use on difficult surfaces such as textured plastics or rough powder coated metals. Typical applications include warehouse racking and powder coated machinery parts where UL certification is not required. This product also offers good chemical resistance to oils and solvents.

### Applications and use

Transfer PET matt silver was specially developed for industrial labels and thermal transfer applications. Thanks to the special surface coating, excellent results can be achieved with thermal transfer printers equipped with conventional or near-edge print heads and using either wax/resin or pure resin ribbons. When printed with high quality thermal transfer ribbons very high chemical resistance can be achieved.

The main area of application for Transfer PET matt silver is the labelling of industrial products. Nameplates and logistics labels are typical examples.

### Conversion & printing

In addition to thermal transfer printing the product can also be printed by all conventional roll label techniques, such as flexo, UV letterpress, silkscreen. Specific testing is required. For easy diecutting sharp corners should be avoided


### Shelf life

One year under storage conditions as defined by FINAT (20-25°C; 40-50%RH)

# AI754

## Fasson ®

### TRANSFER PET MATT SILVER - S8035-BG45WH BSS



TRANSFER PET MATT  
SILVER

S8035

BG45WH BSS

**Avery Dennison Materials Group Europe**

Lammenschansweg 140  
2321 JX Leiden  
The Netherlands  
+31 71 579 4100



This is an automatically generated datasheet. All data to be considered as typical values and subject to change without prior notice. Further testing is always recommended.

If you would like to make a suggestion or report a mistake on this datasheet, please send an email to [datasheet.mgmt@eu.averydennison.com](mailto:datasheet.mgmt@eu.averydennison.com)

**Warranty**

All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes.

Avery Dennison products are warranted to be free of defects in material or workmanship for a period of one year from the date of shipment. Should a defect be communicated to Avery Dennison within that time frame, Avery Dennison will evaluate and determine the existence of the defect and further decide, at its sole discretion, to either replace the defective product without charge or compensate it with a credit note in such amount as Avery Dennison deems reasonable. Avery Dennison shall have no responsibility beyond the replacement value of the defective product nor shall in any way be liable or responsible for consequential or incidental damages.

ANY OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED, OR WHETHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR OTHERWISE, SHALL BE EXCLUDED. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN EXECUTIVE OFFICER OF AVERY DENNISON.

©2013 Avery Dennison Corporation. All rights reserved. Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison.